



PRODUCT SHEET

**Reverse Table Lamp**  
*by Aleksandar Lazic*

# Reverse Table Lamp

BY ALEKSANDAR LAZIC

Table lamp with conical travertine base and bronzed anodised aluminium shade. A dimmer switch fitted on top of the lamp controls the dim to warm LED light.

## PRODUCT OPTIONS



Reverse Table Lamp, Bronzed Brass

Reverse Table Lamp, by Aleksandar Lazic



# Reverse Table Lamp

BY ALEKSANDAR LAZIC

## TECHNICAL SPECIFICATIONS

**PRODUCT TYPE**  
Table lamp

**ENVIRONMENT**  
Indoor

**DIMENSIONS**  
H: 30 cm / 11,8"  
Ø: 24 / 10 cm / 9,4" / 3,9"

**PRODUCTION PROCESS**  
Spun aluminium shade with anodized colour, milled aluminium knob, and hand-cut and raw polished travertine base.

**COLOURS**  
Beige and bronzed brass.

**MATERIALS**  
Travertine, aluminium, PMMA, adaptor with CE, UL and GB plug.

**WEIGHT**  
3,64 kg / 5,7 lb

**VOLTAGE**  
110 - 240 V, adaptor input 24 V

**LIGHT SOURCE & ENERGY EFFICIENCY CLASS**  
Watt 6 W, built-in LED, dimmable, A

**LIGHT SPECIFICATION**  
560 lm  
2200 - 2940 K  
RA(CRI) > 85

**DIMMER**  
Yes, on top of shade.

**CANOPY**  
N / A

**CORD MATERIAL AND COLOUR**  
Flexible PVC cable, black, black plug.

**CORD LENGTH**  
200 cm / 78,7"

**CLASSIFICATION**  
IP20

**CERTIFICATIONS**  
CE certified, tests can be obtained upon request.

**PACKAGING TYPE**  
Gift box

**PACKAGING MEASUREMENTS (H x W x D)**  
36,5 cm x 31 cm x 32,5 cm / 14,4" x 12,2" x 12,8"


**MATERIALS & MAINTENANCE**  
Please visit [menuspace.com](https://www.menuspace.com) for materials and care and maintenance instructions.

# Reverse Table Lamp


BY ALEKSANDAR LAZIC

---

## TECHNICAL DRAWING



Ø: 24 cm / 9,4"




H: 21 cm / 8,3"

H: 30 cm / 11,8"

Ø: 10 cm / 4"

# Reverse Table Lamp by Aleksandar Lazic



MENU

### Congratulations

Congratulations on your new lamp designed by Aleksandar Lazic. We hope you will enjoy using this lamp and follow these instructions to ensure correct installation. These instructions are provided for your safety. It is important that the instructions are read carefully.

### Technical Details

Lightsource: Built-in LED, dimmable, 6W

Diffuser: PMMA

Cord: Black PVC cord, length 2 m

Plug: Adaptor with CE, UL and GB plug

Voltage: Adaptor input Volt is 100Vac-240Vac. Output is 24v.

Reverse Table Lamp: 3,64 kg/pc

Reverse Table Lamp with Box: 5,24 kg/pc

### Light Specifications

Color temperature: 2200 K - 4000 K

RA: > 85

Lumen: 560 lm

Reverse Table Lamp is tested according to: IEC 60598-2-4:2017 used in conjunction with IEC 60598-1:2014, AMD1:201 for portable lamps.

**BE SURE THE ELECTRICITY TO THE WIRES YOU ARE WORKING ON IS SHUT OFF; EITHER THE FUSE IS REMOVED OR THE CIRCUIT BREAKER IS TURNED OFF.**


Please check the specific rules for electrical installation work in your country.

Some countries may require an authorised electrical contractor.


### Important

If you have any problems regarding the electrical installation, contact a certified electrician. Always shut off power to the circuit before starting installation work.

The external flexible cable or cord of this luminaire cannot be replaced. If the cord is damaged, the luminaire shall be destroyed.



CE IP20



### Correct Disposal of this product

This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources.

To return your device, please use the return and collection system or contact the retailer where the product was purchased. They can take this product to environmentally safe recycling.