

Designed by Komplot Design

PRODUCT

COLOURS

Photo coming soon

Photo coming soon

Photo coming soon

// Black

// Rainy Gray

Photo coming soon

Photo coming soon

// Mistletoe Green

// Moon Grey

Photo coming soon

Photo coming soon

// Nightfall Blue

// Shy Cherry

Photo coming soon

Photo coming soon

// White Cloud

// Venetian Gold

Item no.: 21001-12F-XX
+ style code

DESCRIPTION

The GUBI Chair Collection is a chair series in laminated moulded 3-D veneer or in the injection moulded HiRek material. The shell is 5 mm thick. Both types of the shells can be delivered upholstered, with front upholstered or fully upholstered in fabric or leather. The base is available in steel, in different finishes as specified below and moulded wood in various finishes. Several of the chair versions are stackable. The GUBI Chair series includes a side chair with and without arms, a bar stool, a lounge chair and a table series in 3 different heights.

VERSION - HIREK (PP PLASTIC MATERIAL) - FRONT UPHOLSTERED

RAL codes are indicative.

- Black // RAL 9005, silkmatt /
- Venetian Gold // RAL 080 7050 , silkmatt /
- Mistletoe Green // RAL 130 5010, silkmatt /
- Nightfall Blue // RAL 200 7005, silkmatt /
- Rainy Gray // RAL 7031, silkmatt /
- White Cloud // RAL 9001, silkmatt /
- Moon Gray // RAL 085 7010, silkmatt /
- Shy Cherry // RAL 3011, silkmatt /

- Black painted base // RAL 9005, gloss level 10-15
- Chrome base // Mirror chrome

CHAIR VERSION

Order item - look for part number in the pricelist.

The series consists of the following:

GUBI 1F, GUBI 12F, GUBI 13F

FACTS

MEASUREMENT - L X W X H MM

- Sitting height: 460 mm
- Seat width: 509 mm
- Seat depth: 550 mm
- Seat height: 493 mm
- Back height: 380 mm
- Frame width: 576 mm
- Frame depth: 499 mm
- Chair height: 815 mm
- Shell thickness: 5 mm
- Frame thickness: Ø11 mm
- Front upholstered: 10 mm

WEIGHT ITEM

7,400 kg

PACKAGING TYPE

Cardboard box

PACKAGING MEASUREMENT - L X W X H CM

L:59 X W:55 X H:84 CM

WEIGHT PACKAGING - MATERIAL TYPE

- Delivery note: 5 g
- Cardboard box, FEFCO quality EB85BB: 2192 g
- Cardboard extra bottom: 408 g
- Polybag PE: 200 g
- LD-EPE foam protector: 100 g
- Strapping: 10 g

WEIGHT PACKAGING - TOTAL

10,315 kg


NUMBER OF PARCELS

1 pcs.

ACCESSORIES

FELT GLIDERS FOR HARD FLOOR AVAILABLE ON REQUEST.

LINKING DEVICE, CHAIR SUSPENSION FOR TABLES.



UPHOLSTERING - W X L

- Fabric (1pcs) : 140 cm x 1,03 m
- Fabric (2pcs) : 140 cm x 0,8 m
- Leather: 1,24 m²

CLEANING AND MAINTENANCE

For cleaning the upholstered surface, first try to brush off the dirt gently. If this is not enough then vacuum the surface.

If further cleaning of the padding is needed, a stain remover is recommended. The cleaning has to be gentle and must always be tested on the most invisible area of the surface before the actual cleaning. Avoid blotches by gentle, circular rubbing towards the stain.

To avoid stains, quickly remove the dirt with a piece of absorbing household wipe and clean with water and colourless washing-up liquid.

Do not use the following products for the padding:

- Undiluted cleaning liquids.
- Bleach.
- Ammoniac.
- Soap for hard surfaces.

For dusting and light cleaning of the plastic surface and frame use a soft, dry cloth.

For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.

Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

ENVIRONMENT

Parts can be separated and sorted for recycling.

Disposal of plastic type PP may be done with incineration of waste.

TESTS

Foam is fire retardant according to California Technical Bulletin 117.

Foam according to BS 5852, Crib 5, is available on request

CERTIFICATION AND LABELS

-