

Designed by Mathieu Matégot

**PRODUCT**



**COLOURS**



**DESCRIPTION**

Mathieu Matégot creates his legendary pieces in 1950s. The three-legged Nagasaki Chair is Matégot's best known piece. The Satellite lamp is made of perforated metal sheet bended like an oval globe with a metal top hat. It is available in two sizes, medium and large. Besides the lamp the collection consists of Nagasaki chair, Nagasaki stool, Kangourou sofa table, Coatrack Demon shelves, Dedal book shelves, Trolley and Copacabana collection. All models are made of powder-lacquered steel.

**FACTS**

**VERSION**

Colour codes are indicative.

- Midnight Black// RAL 9011 / gloss level 10
  - Rainy Grey // NCS S 5005-B80G / gloss level 10
  - Venetian Gold // NCS 2060-Y10R / gloss level 10
  - Shy Cherry // RAL 3013 / gloss level 10
  - White Cloud// RAL 9001 / gloss level 10
- The top hat: RAL9011/ gloss level 10 / RAL9001 /gloss level 20 below

MEASUREMENT - L X W X H MM  
 Lamp height: 3,9 inches  
 Top hat size: 17,7x10,6 inches  
 Lantern diameter: dia 8,6 inches  
 Cable length, exposed: APP. 189 inches  
 Cable length, total: APP. 197 inches

WEIGHT ITEM - LAMP INCL. WIRE  
 3.1 lbs

**SERIE**

Order item - look for part number in the pricelist.

The series consists of the following:

**Nagasaki chair, Nagasaki stool, Kangourou table, Dedal shelf, Coat rack, Demon shelf, Trolley, Copacabana chair, Copacabana table**



PACKAGING TYPE  
 Cardboard box


PACKAGING MEASUREMENT - L X W X H INCHES  
 L: 20.5 x W: 13.4 x H: 13.2 INCHES

WEIGHT PACKAGING - MATERIAL TYPE (recyclable)  
 - PE bag: 0.5 ounces  
 - Styrofoam: 8.5 ounces

WEIGHT PACKAGING - TOTAL  
 1.32 lbs

NUMBER OF PARCELS  
 1 pcs.

**SHELF MEASUREMENTS**



## ACCESSORIES

-Lightsources:

## CLEANING AND MAINTENANCE

- For dusting and light cleaning of the metal surface and frame use a soft, dry cloth.  
For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.

If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.  
Polish with a soft cloth after wiping.

Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.

Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

-

## TESTS

-

## CERTIFICATION AND LABELS

## INSTALLATION INSTRUCTIONS

Instructions document: No. 51-20-031-01

Bulb requirements:

- Socket: E26
- Recommended light source: T9, L: 7.4 inches, dia. 1.2 inches
- Recommended wattage: 60 W
- Max. Incandescent wattage: Max. 60 W

- US plug: Type A, 2 PIN, 15 amp, (NEMA 1-15)

- US voltage: 120 V


- Frequency: 60 Hz

- Supply voltage: AC power ~

- Normally Closed: IP20



Class II / Double insulated



Designed by Mathieu Matégot

## PRODUCT



## COLOURS



## DESCRIPTION

Mathieu Matégot creates his legendary pieces in 1950s. The three-legged Nagasaki Chair is Matégot's best known piece. The Satellite lamp is made of perforated metal sheet bended like an oval globe with a metal top hat. It is available in two sizes, medium and large. Besides the lamp the collection consists of Nagasaki chair, Nagasaki stool, Kangourou sofa table, Coatrack Demon shelves, Dedal book shelves, Trolley and Copacabana collection. All models are made of powder-lacquered steel.

## VERSION

Colour codes are indicative.

- Midnight Black // RAL 9011 / gloss level 10
- Rainy Grey // NCS S 5005-B80G / gloss level 10
- Venetian Gold // NCS 2060-Y10R / gloss level 10
- Shy Cherry // RAL 3013 / gloss level 10
- White Cloud // RAL 9001 / gloss level 10

The top hat: RAL9011/ gloss level 10 / RAL9001 /gloss level 20 below

## SERIE

Order item - look for part number in the pricelist.

The series consists of the following:

**Nagasaki chair, Nagasaki stool, Kangourou table, Dedal shelf, Coat rack, Demon shelf, Trolley, Copacabana chair, Copacabana table**



## FACTS

### MEASUREMENT - L X W X H inches

Lamp height: 15,1 inches  
 Top hat size: 22,4x14,2 inches  
 Lantern diameter: dia 10,7 inches  
 Cable length, exposed: APP. 189 inches  
 Cable length, total: APP. 197 inches

### WEIGHT ITEM - LAMP INCL. WIRE

4.74 lbs

### PACKAGING TYPE

Cardboard box

### PACKAGING MEASUREMENT - L X W X H INCHES

L: 25 x W: 16.3 x H: 15.8 INCHES

### WEIGHT PACKAGING - MATERIAL TYPE (recycleable)

- PE bag: 0.7 ounces
- Styrofoam: 12.3 ounces


### WEIGHT PACKAGING - TOTAL

2.2 lbs

### NUMBER OF PARCELS

1 pcs.

## SHELF MEASUREMENTS



## ACCESSORIES

-

## CLEANING AND MAINTENANCE

- For dusting and light cleaning of the metal surface and frame use a soft, dry cloth.  
For further cleaning, use a soft cloth that is firmly wrung in clean water for gently wiping the surface, and then immediately use a dry cloth to wipe the surface again.  
If more thorough cleaning is necessary, use a mild detergent or washing-up liquid dissolved in water on a firmly wrung cloth. Afterwards, repeat the process with clean water as described above.  
Polish with a soft cloth after wiping.  
Do not use materials for maintenance that:

- Contain abrasive agents.
- Are basic, acidiferous or organic.

For the best maintenance of the product, protect it against sunlight and heat, and try to keep it away from moisture, grease and other dirt.  
Furthermore, protect the surfaces against sharp objects and other that might scratch.

## ENVIRONMENT

-



## TESTS

-

## CERTIFICATION AND LABELS

## INSTALLATION INSTRUCTIONS

Instructions document: No. 51-20-031-01



### Bulb requirements:

- Socket: E26
- Recommended light source: Tubular Type T30 or T9, max. Length 10 inches, dia. 1.2 inches.
- Recommended wattage: 60 W
- Max. Incandescent wattage: Max. 60 W

- US plug: Type A, 2 PIN, 15 amp, (NEMA 1-15)
- US voltage: 120 V
- Frequency: 60 Hz
- Supply voltage: AC power ~
- Normally Closed: IP20



Class II / Double insulated